

FULL BODY
VITRIFIED
TILES



2023
COLLECTION

SURFACE OF AN EYEFUL IMPRESSION

Available Thickness



9MM



PRESENTING THE **FULL BODY**


SURFACE
POLISHED | RUSTIC | SATIN

WE ARE SETTING A TREND IN THE CERAMICS SECTOR, BY PRODUCING **HIGH-QUALITY TILES**

We are showcasing the best quality of rustic finish, satin finish and polished finish with the different fabulous colors shades that's make your décor mesmerizing.

Choose our satin finish tiles to give your home a completely flawless appearance if you want to add an unexpected element to any space.

Our Rustic tiles are ornamental glaze tiles that are used to give any room a rustic feel and an attractive appearance without compromising the shiny feature.





MAJESTIC

SURFACE
RUSTIC

DYNAMIC


SURFACE
POLISHED

ROCK

SURFACE
SATIN




FULL BODY
vitrified tiles



ROCK WHITE

Satin



DYNAMIC WHITE

Polished



MAJESTIC WHITE

Rustic



600X
1200MM


↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles


DYNAMIC WHITE





Satin

ROCK CREAMA



Polished

DYNAMIC CREAMA



Rustic

MAJESTIC CREAMA



600X
1200MM

9 MM
THICKNESS



FULL BODY
vitrified tiles

MAJESTIC CREAMA





Satin

ROCK DOVE



Polished

DYNAMIC DOVE



Rustic

MAJESTIC DOVE



600X
1200MM


↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles


MAJESTIC DOVE






Satin

ROCK NERO




Polished

DYNAMIC NERO



Rustic

MAJESTIC NERO



600X
1200MM


↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles


ROCK NERO





Satin

ROCK ALMOND




Polished

DYNAMIC ALMOND



Rustic

MAJESTIC ALMOND



600X
1200MM

9 MM
THICKNESS



FULL BODY
vitrified tiles


MAJESTIC ALMOND






ROCK BLACK

Satin



DYNAMIC BLACK

Polished



MAJESTIC BLACK

Rustic



600X
1200MM


9 MM
THICKNESS



FULL BODY
vitrified tiles

DYNAMIC BLACK





Satin

ROYAL KOTA



Polished

DYNAMIC KOTA



Rustic

MAJESTIC KOTA



600X
1200MM

↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles


MAJESTIC KOTA





ROCK KOTA

Satin




600X
1200MM

9 MM
THICKNESS



FULL BODY
vitrified tiles



Satin

ROYAL CREAM



Polished

DYNAMIC CREAM



Rustic

MAJESTIC CREAM



600X
1200MM

↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles

ROYAL CREAM





ROYAL IRIS

Satin



DYNAMIC IRIS

Polished



MAJESTIC IRIS

Rustic



600X
1200MM

9 MM
THICKNESS



FULL BODY
vitrified tiles

MAJESTIC IRIS





Satin

ROYAL STEEL GREY




Polished

DYNAMIC STEEL GREY



Rustic

MAJESTIC STEEL GREY



FULL BODY
vitrified tiles


ROYAL STEEL GREY






ROCK QUARTZ

Satin



DYNAMIC QUARTZ

Polished



MAJESTIC QUARTZ

Rustic



600X
1200MM

↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles

ROCK QUARTZ






ROYAL JET BLACK

Satin




DYNAMIC JET BLACK

Polished



MAJESTIC JET BLACK

Rustic



600X
1200MM

↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles

DYNAMIC JET BLACK






ROYAL SUPER WHITE

Satin



DYNAMIC SUPER WHITE

Polished



600X
1200MM


↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles

ROYAL SUPER WHITE





ROCK MIST

Satin



600X
1200MM

↓
↑
9 MM
THICKNESS



FULL BODY
vitrified tiles



ROCK PEACH

Satin



600X
1200MM

↓
↑
9 MM
THICKNESS




FULL BODY
vitrified tiles

MONOLINE

SURFACE
RUSTIC



FULL BODY
vitrified tiles





MONOLINE WHITE
RUSTIC



MONOLINE BLACK

RUSTIC





MONOLINE KOTA
RUSTIC

 **FULL BODY**
vitrified tiles




MONOLINE CREAM

RUSTIC


 **FULL BODY**
vitrified tiles





MONOLINE IRIS
RUSTIC

MONOLINE




MONOLINE STEEL GREY


RUSTIC

 **FULL BODY**
vitrified tiles





MONOLINE ALMOND
RUSTIC




MONOLINE CREAMA



RUSTIC

 **FULL BODY**
vitrified tiles





MONOLINE DOVE
RUSTIC




MONOLINE NERO

RUSTIC


 **FULL BODY**
vitrified tiles





MONOLINE SUPER WHITE
RUSTIC

MONOLINE





MONOLINE JET BLACK

RUSTIC

 **FULL BODY**
vitrified tiles






MONOLINE QUARTZ

RUSTIC

 **FULL BODY**
vitrified tiles

PLUTO

PLUTO
SURFACE
RUSTIC



FULL BODY
vitrified tiles




PLUTO WHITE
RUSTIC



PLUTO BLACK

RUSTIC






PLUTO KOTA
RUSTIC



PLUTO CREAM

RUSTIC

 **FULL BODY**
vitrified tiles





PLUTO IRIS
RUSTIC

PLUTO





PLUTO STEEL GREY

RUSTIC

 **FULL BODY**
vitrified tiles







PLUTO ALMOND
RUSTIC



PLUTO CREAMA

RUSTIC





PLUTO DOVE
RUSTIC

 **FULL BODY**
vitrified tiles

PLUTO



PLUTO NERO

RUSTIC


 **FULL BODY**
vitrified tiles





PLUTO SUPER WHITE
RUSTIC

PLUTO



PLUTO JET BLACK

RUSTIC

 **FULL BODY**
vitrified tiles





PLUTO QUARTZ
RUSTIC

 **FULL BODY**
vitrified tiles

TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO-13006 / EN14411 GROUP BIA	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES				
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
STRUCTURAL PROPERTIES				
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
01	Modulus of rupture	Min. 35 N/mm ²	Min. 45 N/mm ²	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
01	Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7

THERMOHYDROMETRIC PROPERTIES				
01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. 9.0×10^{-6}	Max. 6.5×10^{-6}	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11
CHEMICAL PROPERTIES				
01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14
SAFETY PROPERTIES				
01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17

PACKING DETAILS

SIZE	PCS./BOX	WEIGHT / BOX	AREA / BOX
600x1200mm	2 Pcs.	30 Kg.	1.44 Sq. Mtr.

Note : Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.

