



The beauty of
ITALIAN CERAMICS
for your every
SURFACES.



1200x2400MM



WHY CHOOSE EMCER

Emcer e-slab the leading manufacturer of e-slabs in India proved there existence in the World Ceramic Industry by achieving heights and reaching to the top in span of two years. Emcer proved that being a Quality and Research oriented organization is the key to success, which Emcer maintained from day one of the production of their e-slabs.

With there Mantra of success, Emcer managed to fill the void between design and quality by fulfilling the both criterias and created a benchmark in the world. With there highly qualified design and research team Emcer managed to achieve the peak by mapping every minute details of the products.

At Emcer -

" We believe in making the world more beautiful with best Quality Products and Innovative Designs".


**Management
Emcer**

www.emcer.in

eSLAB, the true testimony of modern architecture.

ESLAB allow architects to design a space ranging from simple flooring or coverings for large and small surfaces to object-based applications and furnishing accessories to enhance the world we live in. with eSLAB we have created a world where big is beautiful, with visually expanded spaces, fewer design and endless possibilities. on the one hand the eSLAB drastically reduces the amount of interruptions to the design unit, on the other the range of sub-multiples ensures great versatility for every and all needs.

eSLAB
crafted differently



tecnología/
La technologie

Techno- logy

The fact that technology helps humanity transform, evolve and grow is not lost on us. Hence, we always value technology and encourage innovation. In fact, technology is our man Friday and innovation is our middle name.

Emcer is having strong research team for selecting high quality of raw materials from India & different part of world for producing high quality of SLAB. The state art of machinery with latest generation of technology of printing head. This machine can have capacity to print HD designs with natural aesthetical colors and hence it matches the natural stones and desired designs with colors. With this generation of machine, we can create different surface on slab, hence it will enhance its beauty.

1200X2400MM



RAREST MARBLE NOT RARE ANYMORE!!

It is a new architectural concept that goes beyond a single slab: it allows designers to reinvent design criteria, giving them the maximum freedom and a minimum of limitations.

These slab tiles retain all their aesthetic and physical qualities: effortless manufacturing, polished and carved finish, in multiple colors and 9 millimeter thickness. Opening up a future of multi-level projects and unprecedented creative design. In this context, eSlab transcends its own designs, giving you complete freedom to customize colors and sizes in line with evolving style requirements.

The extraordinary designs are what make this ultra-refined product so precious and recognisable. Eslab is a surface of unparalleled elegance, appreciated for its particular brightness and exclusivity that make it ideal for the most refined creations.



Resistant to Staining



Resistente a las manchas /
Résistant aux taches

Impact Resistant



Resistente al impacto /
Résistant aux chocs

Acid Resistant



Resistente al ácido /
Résistant aux acides

Easy to Clean



Fácil de limpiar /
Facile à nettoyer

High MOR




Alta MOR /
MOR élevé

Thermal shock Resistant



Resistente al choque térmico /
Résistant aux chocs thermiques

Frost Resistant



Resistente a las heladas /
Résistant au gel

EGLOSS

HIGH GLOSS

1200X2400MM

Egloss series - A selection of the finest natural marbles was used to create durable, versatile surfaces. With a thickness of 9mm and with record dimensions of up to 120x240 cm, this collection is perfect in newly constructed spaces or for use in renovations. The sizes 120x240 cm and High Gloss finishes emphasise the richness and variety of the veining, skilfully calibrated to give every room continuity of texture and colors, which are exquisitely beautiful and harmonious. With the High Gloss finish further enhances the marble-effect textures through “mirrored” veining, with an exceptional aesthetic impact.

AFRICANO
NERO

GLOSS



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	4	HIGH GLOSS	9MM



Personalising spaces – whether domestic,
private or public – is all the rage



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- Anti-slip
- Resistant to Staining
- High Mor
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body

AFRICANO NERO

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



ASPHALT
GREY

SS0193



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Popular colours and decorations, inspired by nature



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

ASPHALT GREY

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



BRUNO
GRIGIO

GLOSS



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	HIGH GLOSS	9MM



The finest natural marbles is transformed into slabs



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

BRUNO GRIGIO

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



CARMEL
GRIS

SS0193



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	HIGH GLOSS	9MM



Calibrated to give to every environment continuity of textures



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Mor
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining


CARMEL
GRIS

Dimension : 1200X2400MM | Finish : HIGH GLOSS



CASCADE
BLACK


GLOSS



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	HIGH GLOSS	9MM



Calibrated to give to every environment continuity of textures



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

CASCADE BLACK

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



CASTLE
GREY

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Multi-format tiles offer an infinite choice of laying solutions.



-  Easy to install
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Impact resistant
-  Frost resistant
-  High Modulus
-  Resistant to Abrasion
-  Thermal shock resistant
-  Flexible Body
-  Anti-slip
-  Resistant to Staining

CASTLE GREY

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



EMOTION
GREY

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Revealing a stunning, pioneering vision of the future.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

LATINA
ASH

GLOSS



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Defined by powerful experimental design
and cutting-edge visual impact.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

LATINA ASH

Dimension : 1200X2400MM | Finish : HIGH GLOSS

eSLAB
crafted differently

Emcer[®]
MARMO DI CERAMICHE



LATINA
BEIGE

SS0193



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Design which takes character to the next level.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

LATINA BEIGE

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



MACAEL
WHITE

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



An on-trend timeless and classic collection for any eye-catching impact.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

MACAEL WHITE

Dimension : 1200X2400MM | Finish : HIGH GLOSS

eSLAB
crafted differently

Emcer[®]
MARMO DI CERAMICHE



MADEIRA
CREMA

SS0193



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Adorn your spaces with marble surfaces,
to invoke the purity and vibrancy of Nature at every moment.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

MADEIRA CREMA

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



NEBULA
BRONZE

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	HIGH GLOSS	9MM



Feel the subtle harmony of Marbles
to give your interior an unparalleled look



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

NEBULA BRONZE

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



NEBULA
GREY

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	HIGH GLOSS	9MM



Restore & modernize your Living Space
with our subtle and revitalizing slabs



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

NEBULA GREY

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



OMNIA
GROVE

GLOSS



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	3	HIGH GLOSS	9MM



Experience the brilliance & exuberance in detail,
feel the perfect punch of grace.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

OMNIA GROVE

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



SILVER STONE
GREY

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	4	HIGH GLOSS	9MM



Embrace the colour in your spaces
and create an impactful aura.



-  Easy to install
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Impact resistant
-  Frost resistant
-  Anti-slip
-  Resistant to Staining
-  High Mor
-  Resistant to Abrasion
-  Thermal shock resistant
-  Flexible Body

SILVER STONE
GREY

Dimension : 1200X2400MM | Finish : HIGH GLOSS



SONATA
GREY

GLOSS



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	4	HIGH GLOSS	9MM



Lush and calming shades to satiate any living space
to the most demanding taste



-  Easy to install
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Impact resistant
-  Frost resistant
-  Anti-slip
-  Resistant to Staining
-  High Mor
-  Resistant to Abrasion
-  Thermal shock resistant
-  Flexible Body

SONATA
GREY

Dimension : 1200X2400MM | Finish : HIGH GLOSS



STATUARIO
CUMINE

SS0193



1200X2400MM - 48"X96"

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	4	HIGH GLOSS	9MM



Witness contemporary architecture
into being that is amazing forever.



-  Easy to install

 Ecology & Sustainable

 Acid resistant

 Easy to clean
-  Impact resistant

 Frost resistant

 Anti-slip

 Resistant to Staining
-  High Mor

 Resistant to Abrasion

 Thermal shock resistant

 Flexible Body

STATUARIO CUMINE

Dimension : 1200X2400MM | Finish : HIGH GLOSS

éSLAB
crafted differently

Emcer®
MARMO DI CERAMICHE



SUPREME
STATUARIO

GLOSS



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM		HIGH GLOSS	9MM



Celebrate reflections of the night for a surface
that becomes the mirror of an extravagant everyday life.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- Anti-slip
- Resistant to Staining
- High Mor
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body

SUPREME
STATUARIO

Dimension : 1200X2400MM | Finish : HIGH GLOSS



BLEND

CARVING

1200X2400MM

Blend series stone and marble to create a visually striking veins effect A new mineral look in various colour that can be combined in numerous modular layouts. These series offer an attractive and functional solution to enhance residential and public indoor spaces. The large 120x240cm format with 9mm thickness with pleasing metallic effect of ceramic surfaces brighten every room in the house. The expressive power of large slabs is perfect for residential and commercial contexts featuring ever-changing solutions with a bold style.

ATLANTA

BEIGE

BLEND

ONE78



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



Minimalist yet creative for a contemporary perspective.



-  Easy to install

 Ecology & Sustainable

 Acid resistant

 Easy to clean

 Impact resistant

 Frost resistant
-  High Modulus

 Resistant to Abrasion

 Thermal shock resistant

 Flexible Body

 Anti-slip

 Resistant to Staining


ATLANTA
BLACK

BLEND



1200X2400MM - 48"X96"
NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



Perfectly essential look for your surfaces.



-  Easy to install

 Ecology & Sustainable

 Acid resistant

 Easy to clean

 Impact resistant

 Frost resistant

 High Modulus

 Resistant to Abrasion

 Thermal shock resistant

 Flexible Body

 Anti-slip

 Resistant to Staining

BURLY
BEIGE

BLEND



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



Experience an aesthetic adventure like never before.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

BURLY
GREY

BLEND



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



Collection, that is the epitome of luxury and sophistication.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

BURLY
MAROON

BLEND



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



The new chapter in the line dedicated
to the world's most precious marbles.



- Easy to install
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Impact resistant
- Frost resistant
- High Modulus
- Resistant to Abrasion
- Thermal shock resistant
- Flexible Body
- Anti-slip
- Resistant to Staining

BURLY
SILVER

BLEND



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



Sophisticated textures for interior design with a strong personality.



-  Easy to install
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Impact resistant
-  Frost resistant
-  High Modulus
-  Resistant to Abrasion
-  Thermal shock resistant
-  Flexible Body
-  Anti-slip
-  Resistant to Staining

EMPIRE
GREY

BLEND



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



The eternal beauty of marble meets the contemporary lightness of resin.



-  Easy to install
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Impact resistant
-  Frost resistant
-  High Modulus
-  Resistant to Abrasion
-  Thermal shock resistant
-  Flexible Body
-  Anti-slip
-  Resistant to Staining

EMPIRE
IVORY

ONE78



1200X2400MM - 48"X96"

NEW ADDITION

SIZES	RANDOM	FINISH	THICKNESS
1200X2400MM	2	CARVING	9MM



Unique Marble which provides timeless beauty & original aesthetic.



- 

Easy to install
- 

Ecology & Sustainable
- 

Acid resistant
- 

Easy to clean
- 

Impact resistant
- 

Frost resistant
- 

High Mor
- 

Resistant to Abrasion
- 

Thermal shock resistant
- 

Flexible Body
- 

Anti-slip
- 

Resistant to Staining

ESLAB INSTALLATION INSTRUCTION

Follow the instruction for better and smooth execution of Emcer eSlab Products.




01 SURFACE PREPARATION

Apply cement mortar bedding on the surface and spread the entire mortar evenly. For flattened surface approximately 9mm thick cement mortar bedding is preferred.

02 DRYING PROCESS

The drying time of cement mortar bedding is approximately 48 hours, as it will exceed the contraction and expansion of feature of cement.



03 ESLAB LAYING PROCESS

Apply approximately 10mm thick tile fixing adhesive on the prepared cement bed, spread the same by using metal comb (12mm) to the entire surface (Refer the image). This feature will allow to be fixed without any air pocket after installation.


The Same Method has to followed for applying the tile fixing adhesive on the back of the slab for 10mm, while holding the slab on its length side. Then, the adhesive has to be combed in the same way as done on the floor.



04 ESLAB HANDLING

eSlab can be properly handled and lifted by Vacuum cups. Vacuum cups are usually used to lift glasses, it can be fixed on the surface of polished tile, to lift it to the exact area of the fixing. (May not very effective for satin and matt surfaces.)

Once the slab is laid, the same has to be hammered by soft wooden base hammer to ensure proper laying and fixing.



05 ESLAB CUTTING AND HANDLING

Use diamond tools which are generally use to cut glasses, for cutting any surface of eSlab. First, a line has to be drawn on the surface pressing the tool considerably to ensure a deep cut mark line and this can be used till the slab is cut deep to the level of 1 to 2mm and then can be cut with a proper cutting tool for cutting the 9mm thick body of the slab. Cutting systems are also available with companies manufacturing such systems.

06 ESLAB CUTTING AND DRILLING METHODS



ESLAB CARE AND MAINTENANCE

These are the so-called final cleaning operations: this is the most important step, as it influences the results of the subsequent use of the product. Its purpose is to remove any trace or residue of foreign matter from the surface of the slabs. If you have used a cement-based sealant during installation, once the grout has dried, Emcer recommends carrying out the following operations:

- Remove any coarse dirt using a vacuum cleaner;
- Wet the floor with clean water in order to soak and protect the joints against the corrosive action of the detergent;
- Clean using a suitable acid detergent, which can be applied by hand (with a clean cloth) or with a machine (a single-brush machine with medium, non-abrasive bristles or a high-pressure water cleaner);
- Soak up the cleaning solution with a clean cloth or a suitable vacuum cleaner;
- Thoroughly rinse surfaces with clean, warm water to neutralise the action of the detergent;
- Remove any build-up by scraping it off;
- If needed, clean the surface again with the single-brush machine, using a diluted neutral or alkaline detergent, then rinse using clean warm water and dry.
- If an epoxy sealant has been used during installation of the product, given the chemical nature of such product, any remaining residue on the porcelain tile’s surface should be removed before the grout has hardened completely and carefully follow the instructions supplied by the manufacturer.



Technical Specification

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
REGULATORY PROPERTIES			
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
STRUCTURAL PROPERTIES			
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
SURFACE MECHANICAL PROPERTIES			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
SAFETY PROPERTIES			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

Packing Detail

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT (APPROX.)
1200X2400MM	9MM	1	31.00	61 KGS.

NOTE: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer are advised to inspect a sample of tiles before ordering. every effort has been made to ensure the accuracy of the information given. However, the Company research the right to change the specifications Without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing Instruction on the cartons of the tiles as no responsibility can be accepted by the once the tiles have been fixed.



EMCER TILES PVT. LTD.

HEAD OFFICE

Emcer House, C Block, Westgate, Near YMCA Club,
S.G. Highway, Ahmedabad - 380015, (Gujarat) INDIA.

EMCER FACTORY

Emcer Premises, Survey No.: 117 P2 & P3, Opp. Sanford Vitrified,
Sartanpur Road, Ta.: Wankaner, Dist.: Morbi - 363621, (Gujarat) INDIA.

EMCER DELHI

Emcer House, D 19, Mayapuri Industrial Area Phase 2,
New Delhi - 110064, INDIA.

EMCER KOLKATA

5, Paschim Chaubhaga, Arupota, Post Dalanda,
Besides Mercedes Service Center, Kolkata - 700105, (West Bengal) INDIA.