



AHMEDABAD OFFICE & CDC:

Shop No.102, Sharthik Square, Nr. Pakwan Circle, S.G. Highway, Ahmedabad - 380054, Gujarat
M: +91 9909902303 | E-mail: cdc.ahm@exxarotiles.com

MUMBAI OFFICE & CDC:

A WING / 309, Dynasty business park, Next JB nagar metro station, Andheri Kurla road, Andheri east, Mumbai - 400065, Maharashtra
M: +91 9820891164 | E-mail: cdc.mumbai@exxarotiles.com

BANGALORE OFFICE & CDC:

42/14, 3rd cross, 5th block, SSI Area, Rajajinagar, Bangalore - 560010, Karnataka
M: +91 9342162908 | E-mail: cdc.bangalore@exxarotiles.com

CHENNAI OFFICE & CDC:

Old.no.340, New no.7, 8th Avenue, Ashok nagar, Chennai - 600083, Tamilnadu
M: 044-42038555 | E-mail: chennai@exxarotiles.com

COCHIN OFFICE & CDC:

1st Floor, Door No. 40/495, Mamanglam, Southern Side of Mamangalam - Pottakuzhi Road, Nr. S.N. Auditorium, Edappally South, Palarivattom Po, Ernakulam - 682025, Kerala
M: +91 9349912120 | E-mail: cdc.cochin@exxarotiles.com

BHUBANESWAR OFFICE & CDC:

Gomati Devi Residency, Flat No 002, N.H-5, Nr. HP petrol pump, Rasulgarh, Bhubaneshwar - 751010, Odisha
M: +91 7381055075 | E-mail: cdc.bhubaneswar@exxarotiles.com



EXXARO TILES LIMITED

CIN: U26914GJ2008PLC052518

Corporate Office:

12th Floor, D - Block, Ganesh Glory11, Near BSNL Office, Jagatpur - Chenpur Road, S. G. Highway, Jagatpur, Ahmedabad - 382481

Regd. Office & Unit-2:

Survey No. 169 & 170, Vavdi Harsol Road, At & Po.: Mahelav, Taluka: Talod, Sabarkantha - 383305, Gujarat, India.

Unit-1:


Block No. 204 / 205, Opp. Hanuman Temple, Nr. Mahuvad Turning, At & Po. Dabhasa, Tal. Padara, Dist. Vadodara - 391440, Gujarat, India.



Find us at: exxarotiles



concept zone: +91 98251 53995



PRIMA™
DOUBLE CHARGE VITRIFIED TILES
800x800mm | 600x600mm



INDIA'S FIRST

3D
EFFECT IN
DOUBLE CHARGE

MORE THAN
95%
GLOSSY TILES

BIGGEST
COLLECTION IN
DOUBLE CHARGE

4TM
LAYER
NANO+
MICRO POLISHED TECH.
HIGH GLOSS VITRIFIED TILES



INTRODUCTION OF EXXARO TILES

Exxaro Tiles is poised to go on a remarkable and never ending journey of excellence in the Tiles Industry. To add energy and vigor to this journey, it is equipped with state of the art infrastructure comprising best of machinery, resources and manpower. At a huge plant established at the most advantageous location of Gujarat. Exxaro Tiles brings you the convenience of comprehensive tiling solutions under one roof. With its meticulously crafted innovative tiling solutions, Exxaro Tiles is wining accolades and trust of clients across the world.

APPLICATIONS

- AIRPORTS
- HOTELS
- INTERIOR DESIGN AND FURNISHINGS
- SHOPS
- VENTILATED CURTAIN WALLS
- OFFICES
- HOMES
- RESTAURANTS
- KITCHENS AND BATH ROOM
- RETAIL MALLS
- MUSEUMS
- SPA AND WELLNESS CENTRES


DOUBLE CHARGE VITRIFIED TILES | SIZE

800x800mm
600x600mm




- PERFECTLY FLAT
- EASY TO CLEAN
- HYGIENIC
- LIGHT WEIGHT TILES
- RESISTANCE TO CHEMICALS
- BENDING STRENGTH
- EASY TO INSTALL
- RESISTANT TO TRAFFIC & WEAR

NEW
COLLECTION



CRYSTELO LIGHT GREY




CRYSTELO DARK GREY



CRYSTELO KOTA



STORM QUARTZ




STORM BEIGE




STORM CAMEL




STORM BROWN



STORM WHITE



STORM GRIS



STORM NERO




PATRIX GOLD




PATRIX BEIGE



PATRIX SLATE



PATRIX WHITE



PATRIX GREY





MAGICO WHITE



JUPITER WHITE




MAGICO CREMA



JUPITER CREMA



TOPAZ WHITE




TROPICANA WHITE







THAR WHITE



THAR CREAMA



THAR GREY



THAR SLATE






AMAZONE WHITE




AMAZONE CREMA



AMAZONE NAVY



CANYON FERO



CANYON RICHI



GALAXY SLATE




LOGAN BUFF



LOGAN GRAPHITE



GALAXY GREY



PATRIC WHITE



GALAXY GOLD



GALAXY BEIGE



PERFECTLY
FLAT



EASY TO
CLEAN



HYGIENIC



LIGHT WEIGHT
TILES



RESISTANCE TO
CHEMICALS



BENDING
STRENGTH



EASY TO
INSTALL



RESISTANT TO
TRAFFIC & WEAR





TOPAZ WHITE



GARNET MINT



GARNET SNOW



TECHNICAL SPECIFICATION

EXXARO - DOUBLE CHARGE VITRIFIED TILES TECHNICAL SPECIFICATIONS

NO	TECHNICAL DETAILS	INTERNATIONAL STD. ISO 13006/EN 176. B1A	EXXARO VALUES	METHOD OF TESTING
1	Deviation In Length & Width	±0.6%	±0.1%	ISO 10545-2
2	Deviation In Thickness	±5%	±2%	ISO 10545-2
3	Straightness Of Sides	±0.5%	±0.1%	ISO 10545-2
4	Rectangularity	±0.6%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.5%	±0.1%	ISO 10545-2
6	Hardness On Mohs Scale	>6	>6	EN 101
7	Water Absorption	< 0.5%	<0.05%	ISO 10545-3
8	Flexural Strength(Mor)	> 35 N/mm ²	> 40 N/mm ²	ISO 10545-4
9	Abrasion Resistance	< 175 mm ³	<145 mm ³	ISO 10545-6
10	Skid Resistance	> 0.4	> 0.6	ISO 10545-17
11	Bulk Density	>2	> 2.2	DIN 51082
12	Frost Resistance	Frost Proof	Frost Proof	ISO 10545-12
13	Chemical Resistance	No Damage	No Damage	ISO 10545-13
14	Thermal Shock	No Damage	No Damage	ISO 10545-9
15	Thermal Expansion	< 9 X 10 ⁽⁻⁶⁾	< 6 X 10 ⁽⁻⁶⁾	ISO 10545-8
16	Stain Resistance	Resistant	Resistant	ISO 10545-14
17	Moisture Expansion	Nil	Nil	ISO 10545-10
18	Glossiness	Gloss Meter	Min 90% Reflection	ISO 10545-2
19	Breaking Strength	1113 N	2800 N	ISO 10545-4

Note : Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advice to inspect a sample of the tile before ordering. Every efforts has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAILS

PRODUCT	SIZE	PCS/BOX	COVERAGE AREA	
DOUBLE CHARGE VITRIFIED TILES	800x800mm	3	1.92 SQ. MTR.	20.67 SQ. FT.
	600x600mm	4	1.44 SQ. MTR.	15.50 SQ. FT.